

PCT

BEST AVAILABLE COPY

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification : <b>G06F 17/60</b>		<b>A1</b>	(11) International Publication Number: <b>WO 99/35601</b>
			(43) International Publication Date: 15 July 1999 (15.07.99)
(21) International Application Number: <b>PCT/US99/00280</b>		(81) Designated States: CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 7 January 1999 (07.01.99)			
(30) Priority Data:		Published	
09/004,045	7 January 1998 (07.01.98) US	With international search report.	
60/088,360	7 January 1998 (07.01.98) US	Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
09/053,335	7 April 1998 (07.04.98) US		
(71) Applicant: MICROSOFT CORPORATION [US/US]; One Microsoft Way, Redmond, WA 98052-6399 (US).			
(72) Inventors: PARKER, Kathryn, L.; 35539 S.E. 41st Street, Fall City, WA 98024 (US). McDEVITT, Michael; 500 S.E. 6th Street, North Bend, WA 98045-8264 (US). KEYSER, Greg, A.; 13015 N.E. 108th Street, Kirkland, WA 98033 (US). SKORUPA, Scott, A.; 14329 S.E. 84th Court, Newcastle, WA 98059 (US).			
(74) Agents: KELLY, Joseph, R. et al.; Westman, Champlin & Kelly, P.A., International Centre, Suite 1600, 900 Second Avenue South, Minneapolis, MN 55402-3319 (US).			

(54) Title: SYSTEM AND METHOD OF DISPLAYING TIMES CORRESPONDING TO EVENTS ON A CALENDAR

## (57) Abstract

A system and method provide an event display (50). The event display (50) includes a visual indication (68) of a day on which the event occurs. The event display (50) also includes an analog clock face representation (70, 72) having a contrasting portion indicating a time of the event.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## SYSTEM AND METHOD OF DISPLAYING TIMES CORRESPONDING TO EVENTS ON A CALENDAR

### BACKGROUND OF THE INVENTION

Mobile devices are small electronic  
5 computing devices often referred to as personal  
digital assistants. Many of such mobile devices are  
hand-held devices, or palm-sized devices which  
comfortably fit within the hand. One commercially  
available mobile device is sold under the trade name  
10 Handheld PC (or H/PC) having software provided by  
Microsoft Corporation of Redmond, Washington.

Mobile devices can perform a wide variety of  
computing tasks and execute a wide variety of  
applications. Personal information managers (PIMs)  
15 are particularly well suited to mobile devices.

PIMs typically comprise applications which enable  
the user of the mobile device to better manage  
scheduling and communication, and other such tasks.  
Some commonly available PIMs include scheduling and  
20 calendar programs and are included in the commercially  
available under the brand names Microsoft Schedule+  
and Microsoft Outlook, both of which are provided by  
Microsoft Corporation of Redmond, Washington.

The small physical size of such mobile devices  
25 can present significant obstacles in attempting to  
implement such PIMs. For example, conveying  
information through the electronic display can be  
difficult under certain circumstances. Many users of  
PIMs, when viewing a schedule, wish to have more than  
30 one day viewable at once. In fact, some users may  
wish to have an entire month, several months, or an  
entire year, viewable at once. However, the  
electronic display in such mobile devices is typically

much smaller than that found on a conventional desktop computer. For example, mobile devices may have a display formatted as a grid having a size of only 240x320 pixels. Some such mobile devices, in fact, 5 have a display which is as small as 160x160 pixels. This is much smaller than a conventional desktop computer screen. Consequently, the resolution can be much lower as well. In small screen devices, it becomes more difficult to show useful information at a 10 single glance. For instance, it is typically not difficult to provide a calendar view showing the events of a single day since the entire screen can be used to display that day's events. However, if multiple days are to be shown at once, the space 15 available to display each day's events in a meaningful way is considerably limited. The problem becomes even more significant when trying to show, for instance, events for an entire month at a glance.

Several attempts have been made to provide a view 20 of multiple days (such as a month view) and still give an indication as to the number of appointments or events scheduled for each day in that month. One such prior art mobile device has provided a month view which shows a conventional calendar face, having a 25 square representing each day in the month. Each square has a pair of blocks, one at the top of the square and one at the bottom of the square, which can be shaded. If the user of the mobile device has one or more appointments before noon on any given day, 30 then the top block in the corresponding square is shaded. If the user has one or more appointments or events scheduled in the afternoon of a specific day, then the bottom block in the corresponding square is

shaded. If the user has appointments or events scheduled both before and after noon of any given day, then both blocks are shaded. Of course, this type of system does not convey how busy a person is for any given day, nor does it give any indication as to whether certain times in the morning or afternoon are free of appointments or events, unless the entire morning or afternoon is free.

In another prior art device, three blocks are provided. Two of the blocks are similar to those described above, while the third represents a time period from 12:00 noon to 1:00 PM.

#### SUMMARY OF THE INVENTION

A system and method provide an event display. The event display includes a visual indication of a day on which the event occurs. The event display also includes clock face representation having a user observable portion indicating a time of the event.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a simplified block diagram illustrating one embodiment of a mobile device in accordance with the present invention.

FIG. 2 is a more detailed block diagram of one embodiment of the mobile device shown in FIG. 1.

FIG. 3 is a simplified pictorial illustration of one embodiment of a mobile device in accordance with the present invention.

FIG. 4 is a simplified pictorial illustration of another embodiment of a mobile device in accordance with the present invention.

FIG. 5 is a functional block diagram illustrating how a mobile device in accordance with one aspect of the present invention displays calendar or scheduling

events.

FIG. 6 is a calendar month view of scheduled events in accordance with one preferred embodiment of the present invention.

5 FIG. 7 illustrates the calendar month view of FIG. 6 and also a month selection box in accordance with another aspect of the present invention.

FIG. 8 illustrates the calendar month view of FIG. 6 and also a year selection box in accordance  
10 with another aspect of the present invention.

FIG. 9 illustrates a display in which a year is to be manually entered by the user of the mobile device in accordance with another aspect of the present invention.

15 FIG. 10 illustrates a clock face representation in accordance with another preferred embodiment of the present invention.

FIGS. 11A and 11B illustrate clock face representations in accordance with other preferred  
20 embodiments of the present invention.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 is a block diagram of mobile device 10 in accordance with the present invention. FIG. 1 illustrates that, in one preferred embodiment, mobile  
25 device 10 is suitable for connection with a desktop computer 12, another mobile device 14, or both. However, it should also be noted that mobile device 10 may not be equipped to be connected to desktop computer 12 or another mobile device 14, and the  
30 present invention applies regardless of whether mobile device 10 is provided with this capability.

In any case, mobile device 10 preferably includes an application program (such as a personal information

manager (PIM)) 16 and an object store 18. Object store 18 is preferably configured to store a plurality of individual records or objects, each comprising a plurality of fields or properties related to features of PIM 16. For example, where PIM 16 is a scheduling program, object store 18 is configured to store objects, each of which has a plurality of properties which can be associated with scheduling or calendaring features provided by PIM 16.

PIM 16 is configured to maintain objects in object store 18. For instance, when the user enters an appointment or schedules an event on mobile device 10, PIM 16 is configured to receive the user input information and create an object associated with the scheduled event. The object is maintained in object store 18 for later use by PIM 16, such as for later displaying the event to the user in the form of a calendar display.

It is also worth noting that, in the preferred embodiment, mobile device 10 can be coupled to desktop computer 12 or another mobile device 14. This connection can be made using any suitable, and commercially available, communication link and using a suitable communications protocol. For instance, in one preferred embodiment, mobile device 10 communicates with either desktop computer 12 or another mobile device 14 with a physical cable which communicates using a serial communications protocol. Other communication mechanisms are also contemplated by the present invention, such as infrared (IR) communication, dial up modem communication, wireless modem communication, wireless cellular digital packet data (CDPD), or other suitable communication

mechanisms.

Further, mobile device 10, in the preferred embodiment, can be synchronized with either desktop computer 12, or another mobile device 14, or both. In that instance, properties of objects stored in object store 18 are similar to properties of other instances of the same objects stored in an object store on desktop computer 12 or mobile device 14. Thus, for example, when a user changes one instance of an object stored in the object store on desktop computer 12, the second instance of that object in object store 18 of mobile device 10 is updated the next time mobile device 10 is connected to desktop computer 12 so that both instances of the same object contain up-to-date data. This is referred to as synchronization. Specifically, for instance, if the user enters an appointment or meeting or other event on a PIM or desktop computer 12, the appointment can be synchronized to mobile device 10 the next time mobile device 10 is coupled to desktop computer 12. Similar synchronization can be accomplished from mobile device 10 to desktop computer 12 as well.

In order to accomplish synchronization, synchronization components run on both mobile device 10 and desktop computer 12 (or mobile device 14). The synchronization components communicate with one another through well defined interfaces to manage communication and synchronization.

FIG. 2 is a more detailed block diagram of mobile device 10. Mobile device 10 preferably includes microprocessor 20, memory 22, input/output (I/O) components 24, and communication interface 26. In a preferred embodiment, these components of mobile 10



are coupled for communication with one another over a suitable bus 28.

Memory 22 is preferably implemented as non-volatile electronic memory such as random access memory (RAM) with read only memory (ROM) components with a battery back-up module (not shown) such that information stored in memory 22 is not lost when the general power to mobile device 10 is shut down. A portion of memory 22 is preferably allocated as addressable memory for program execution, while another portion of memory 22 is preferably used for storage, such as to simulate storage on a disc drive.

Memory 22 includes operating system 30, an application program 16 (such as PIM 16 discussed with respect to FIG. 1), as well as object store 18. During operation, operating system 30 is preferably executed by processor 20 from memory 22. Operating system 30, in one preferred embodiment, is a Windows CE brand operating system commercially available from Microsoft Corporation and is stored in ROM. The operating system 30 is preferably designed for mobile devices, and implements database features which can be utilized by PIM 16 (which is also preferably stored in ROM) through a set of exposed application programming interfaces and methods. The objects in object store 18 are preferably maintained by PIM 16 and operating system 30, at least partially in response to calls to the exposed application program interfaces and methods. Operating system 30 and PIM applications 16 use program storage memory to run and storage memory to store user data.

I/O components 24, in one preferred embodiment, are provided to facilitate input and output operations

from a user of mobile device 10. I/O components 24 are described in greater detail with respect to FIGS. 3 and 4.

Communication interface 26 is optionally provided  
5 as any suitable, and commercially available, communication interface. Interface 26 is preferably used to communicate with desktop computer 12 or another mobile device 14, as described with respect to FIG. 1.

10 FIG. 3 is a simplified pictorial illustration of one preferred embodiment of a mobile device 10 which can be used in accordance with the present invention. Mobile device 10, as illustrated in FIG. 3, can be a desktop assistant sold under the designation H/PC  
15 having software provided by the Microsoft Corporation.

In one preferred embodiment, mobile device 10 includes a miniaturized keyboard 32, display 34 and stylus 36. In the embodiment shown in FIG. 3, display  
20 34 is a liquid crystal display (LCD) which uses a contact sensitive display screen in conjunction with stylus 36. Stylus 36 is used to press or contact the display 34 at designated coordinates to accomplish certain user input functions. Miniaturized keyboard  
25 32 is preferably implemented as a miniaturized alpha-numeric keyboard, with any suitable and desired function keys which are also provided for accomplishing certain user input functions.

FIG. 4 is another simplified pictorial illustration of a mobile device 10 in accordance with  
30 another preferred embodiment of the present invention.

Mobile device 10, as illustrated in FIG. 4, includes some items which are similar to those described with respect to FIG. 3, and are similarly numbered. For

instance, mobile device 10, as shown in FIG. 4, also includes a touch sensitive display screen 34 which can be used, in conjunction with stylus 36, to accomplish certain user input functions. It should be noted that the display screen 34 for the mobile devices shown in FIGS. 3 and 4 can be the same size, or different size, but will typically be much smaller than a conventional display screen used with desktop computer 12 which is defined by a matrix of 640x480 coordinates. For example, the display screens 34 shown in FIGS. 3 and 4 may be defined by a matrix of only 640x240 coordinates, 240x320 coordinates, or 160x160 coordinates, or any other suitable size. Also, the present invention can be implemented on devices, with larger displays as well, such as a display screen for conventional desktop computer.

Mobile device 10 shown in FIG. 4 also includes a number of user input keys or buttons 38 (such as scroll buttons 38) which allow the user to perform a number of desired functions, such as to move through applications or scroll through menu options or other display options which are displayed on display screen 34, without contacting display screen 34. Of course, other user input buttons or mechanisms can be provided as well. In addition, mobile device 10 shown in FIG. 4 also preferably includes a power button 40 which can be used to turn on and off the general power to mobile device 10.

It should also be noted that, in the preferred embodiment, mobile device 10 shown in FIG. 4 includes a hand writing area 42. Hand writing area 42 can be used in conjunction with stylus 36 such that the user can write messages which are stored in memory 22 for

later use by mobile device 10. In one preferred embodiment, the hand written messages are simply stored in hand written form and can be recalled by the user and displayed on screen 34 such that the user can  
5 review the hand written messages entered into mobile device 10. In another preferred embodiment, mobile device 10 is provided with a character recognition module such that the user can enter alpha-numeric information into mobile device 10 by writing that  
10 alpha-numeric information on area 42 with stylus 36. In that instance, the character recognition module in mobile device 10 recognizes the alpha-numeric characters and converts them into computer recognizable alpha-numeric characters which can be  
15 used by the application programs in mobile device 10.

It is also worth noting that, in the preferred embodiment, area 42 can be a discrete physical pad separate from display screen 34 on mobile device 10. Alternatively, area 42 can be either a predesignated  
20 portion of display screen 34, or it can be an area having a movable location on display screen 34. In the latter case, the location of area 42 can preferably be selectively relocated on screen 34 by the user, or by the application programs in mobile  
25 device 10. The applications preferably relocate area 42 on display screen 34 such that it resides in a convenient location on display screen 34, depending on the particular display then being displayed on mobile device 10.

30 In a further preferred embodiment, mobile device 10 can be configured to provide a soft keyboard on display screen 34. In that instance, during certain applications, an alphanumeric keyboard is displayed on

display screen 34. The user can then "type" in alpha-numeric messages, or actuate function keys on the soft keyboard, by contacting the desired keys on the soft keyboard with stylus 36.

5 In one preferred embodiment, the input panel area allows the keyboard and character recognition as default input methods, but any suitable input methods can be provided in accordance with the present invention. It should be noted that the present  
10 invention is not to be limited by the input method.

As discussed above, PIM 16 may preferably include a calendaring or scheduling program which allows the user to enter events, such as meetings, appointments, alarms, or any other events which the user wishes to  
15 schedule or enter in an appointment log or calendar maintained by PIM 16. FIG. 5 is a simplified block diagram which illustrates the process by which a user enters such event information. For example, a calendar or scheduling program can be requested by the  
20 user by entering a suitable user input function on mobile device 10. The calendar or scheduling program then provides, on display 34, a dialog or other user input display which allows the user to enter the desired event information using any of the techniques  
25 described above, or any other suitable user input techniques. This information is received on mobile device 10 by the calendar or scheduling program as indicated by block 44 in FIG. 5. The calendaring or scheduling program then stores that information on  
30 object store 18 for later use by the user. If the user then wishes to review calendared or scheduled events for a certain time period, the user actuates another suitable user input mechanism on mobile device

10, and either the calendaring and scheduling program, or the operating system, retrieves the necessary information from object store 18. If the calendaring and scheduling program retrieves the  
5 information, it provides the information to the operating system 30. Operating system 30 provides it to the display driver 46 in mobile device 10. The display driver 46 then provides the information to display screen 34 where it can be viewed and  
10 manipulated by the user. The particular order in which the information is provided and displayed is described in greater detail below.

In viewing such information, the user may desire to not only view appointments or scheduled events for  
15 a single day, but for many days into the future or into the past, such as a full week, or a month. Given the small size of the display screens 34 on mobile devices 10, displaying such voluminous information in any meaningful way to the user can present significant  
20 hurdles. For example, the resolution of display screen 34 may be so low as to make it very difficult to display to the user calendared or scheduled events for an entire month in a manner which allows the user to readily determine the time and duration of events  
25 which are scheduled on various days of that month.

FIG. 6 illustrates one embodiment of a display 50 provided by mobile device 10 in accordance with one preferred embodiment of the present invention. Display 50 illustrates the time and duration of  
30 scheduled or calendared events for a full month. In the preferred embodiment shown in FIG. 6, display 50 includes an upper bar portion 52 which includes a month identifying portion 54 and a year identifying

portion 56, as well as month scroll buttons 58 and year scroll buttons 60. Display 50 also preferably includes a lower display portion 62 which includes soft keyboard selection portion 64, and time display 5 66. The input method selection portion 64 and time display area 66 do not form part of the present invention and are included only for the sake of general illustration. Further, display 50 preferably includes a plurality of day boxes 68, one day box 10 being provided for each day in the month being viewed.

Each day box 68 preferably has a plurality of items. For example, each day box 68 preferably has a numerical indicator which is indicative of the day of the month associated with that particular day box 68. 15 The numerical indicator in display 50 is shown in the upper left hand corner of each day box 68, it is contemplated that the numerical indicator can be located in any portion of the day box 68 which is suitable. The numerical indicator is also preferably 20 highlighted to indicate the present day or a selected day which is selected by a user for more detailed viewing. However, any part of the day box 68 (e.g., day number or entire box) might also be used to show the current day or selection. For example, the whole 25 day box 68 might be shown using the inverse contrast of the other days, that is, what is black would be white and vice versa.

Each day box 68 also preferably includes a full day event indicator, such as an asterisk in the upper 30 right hand corner of the day. The event indicator could be located anywhere in the day box. The full day event indicator (the asterisk in display 50) can be used to signify that the user wishes to be reminded

that an event or item occurs on that day (perhaps throughout the entire day) but the event is not one which the user desires to appear as an item which is scheduled for the entire day. In other words, in display 50 shown in FIG. 6, an asterisk appears in the upper right hand corner of the day box corresponding to December 25<sup>th</sup>. The user may wish to have the indicator turned on for that day indicating that it is a holiday, a vacation day, or to represent any other special event associated with that day. However, the user may not wish to block off the entire schedule for that day due to that event.

In the preferred embodiment shown in FIG. 6, each day box 68 also includes a plurality of clock face representations that reflect the entire 24 hour period corresponding to that particular day box. In the embodiment illustrated by display 50, each day box 68 includes an AM clock face representation 70 and a PM clock face representation 72. The AM clock face representation 70 corresponds to the 12 hours of the day between 12:00 Midnight and 12:00 Noon, while the PM clock face representation 72 corresponds to the 12 hour period from 12:00 Noon to 12:00 Midnight.

In accordance with one aspect of the present invention, the user can input an event to be scheduled into mobile device 10, along with the duration of that event. Of course, the user also enters the date on which the event is to occur. When the month containing that event is next viewed by the user, such as in display 50, indicia are provided on either the AM clock face representation 70 or the PM clock face representation 72 in the day box 68 corresponding to the day on which the event was scheduled. The indicia



provide the user with a representation of the time at which the event is to occur, and the duration of that event.

In the preferred embodiment illustrated by display 50, the indicia include a shaded clock segment (or wedge) on the appropriate clock face representation 70 or 72 corresponding to the time at which the event has been scheduled. For example, display 50 shows that on December 23<sup>rd</sup>, the user has entered appointments, meetings, or other events to occur between 10:00 AM and 12:00 PM, and between 4:00 and 5:00 PM. Similarly, on December 24<sup>th</sup>, the user has entered events which occur between 10:00 AM and 12:00 PM and 5:00 and 7:00 PM. This provides the user with a very efficient way of viewing the user's schedule for a complete month and determining how busy the user is during each day of that month. In order to obtain more detailed information regarding the events scheduled any particular day, the user simply selects the desired day and, through any suitable user input functions, can select more detail regarding that particular day.

The process for selecting different months and different years to be viewed is illustrated in FIGS. 7, 8 and 9. Similar items are similarly numbered to those shown in FIG. 6. When the user wishes to select a different month, the user simply actuates month scroll keys 58 on display 50 with stylus 36. This causes display 50 to cycle through past or future consecutive months in the direction indicated by the particular month scroll key 58 chosen.

Also, and as illustrated in FIG. 7, if the user simply touches month bar 54, month selection menu 74

is provided. In the preferred embodiment, month selection menu 74 provides a textual indication of each month in the year, and also an indication of which month is currently being viewed. To select  
5 another month, the user simply touches the desired month in selection menu 74, and display 50 is updated to display the calendar month view for the selected month.

Similarly, if the user wishes to select a  
10 different year, the user can simply touch one of the year scroll keys 60 to select previous or future consecutive years in the direction indicated by the arrow on year scroll keys 60. If the user does not wish to scroll to another year, the user can simply  
15 touch year bar 56 and a year selection menu 76 is displayed as shown in FIG. 8. Year selection menu 76 preferably includes a numerical representation of a suitable number of years, any of which can be selected by the user simply by touching the desired numerical  
20 representation. Menu 76 also preferably includes an indication of which year is currently being viewed.

If the year desired for viewing by the user does not appear on menu 76, the user can simply touch the "Other" entry in menu 76. In response, the display 50  
25 is then updated to provide year selection box 78 as shown in FIG. 9. Display 50 also preferably provides soft keyboard 80. Year selection box 78 includes a year selection field in which the desired year can be entered by the user. In order to enter the desired  
30 year in the year selection field in box 78, the user simply enters the desired year by touching the appropriate alpha-numeric keys on soft keyboard 80, and then touches the OK key in box 78. Of course, the

user could use any suitable input method to enter this information. This information causes display 50 to be updated to display the chosen month in the new year entered in the year selection field in box 78 by the user.

Other embodiments of the clock face representations, other than those shown in FIGS. 6-8 can also be utilized in accordance with the present invention. FIGS. 10 and 11A-11B show three additional embodiments of such clock face representations.

FIG. 10 illustrates a 24 hour clock face representation which can be used as an alternative to AM and PM clock face representation 70 and 72 shown in FIGS. 6-8. In the embodiment shown in FIG. 10, a 24 hour clock face representation 82 is provided. 24 hour clock face representation 82 includes alphanumeric indicia representative of 12:00 AM (or 12:00 noon) at a top portion of clock face representation 82, and an alpha-numeric indicia representative of 12:00 PM (or 12:00 midnight) at a bottom portion of clock face representation 82. In the example illustrated in FIG. 10, the user has entered one or more events which begin at 12:00 Midnight and which continue until 3:00 AM. The user has also entered one or more events which begin at 6:00 AM and continue to 8:00 A.M. The user observable indicia which correspond to those events are shaded clock segments or wedges.

In the embodiment shown in FIG. 11A, a clock face implementation 84 is provided as two superimposed clock face representations. Clock face representation 84 includes an outer AM clock face representation 86 and an inner PM clock face representation 88. Outer

clock face representation 86 is similar to AM clock face representation 70 shown in FIG. 6, and an inner clock face representation 88 is similar to PM clock face representation 72 shown in FIG. 6, except that PM clock face representation 88 is superimposed over AM clock face representation 86 in FIG. 11A. In the example illustrated in FIG. 11A, the user has scheduled one or more events which begin at 9:00 AM and extend to 11:00 AM, and one or more other events which begin at 6:00 PM and continue to 8:00 PM.

FIG. 11B illustrates an embodiment similar to that shown in FIG. 11A except that the AM clock face representation is superimposed over the PM clock face representation and different appointment times are illustrated (e.g., 6-8 AM and 9-11 PM). Other suitable clock face representations can be used as well. For example, any suitable shape for clock face representation can of course be used, such as square, star, rectangle, oval, or any other suitable shape.

In one illustrative embodiment, the scheduled or calendared events are not all displayed on the display 50 at the same time. Rather, the scheduled or calendared events are displayed in groups in a predetermined order. For example, in rendering display 50, the data indicative of recurring appointments can first be displayed. Then, the days in display 50 can be filled in with all other scheduled or calendared events. In yet another illustrative embodiment, recurring appointments are first displayed, then display 50 is filled in with non-recurring appointments or meetings, and finally display 50 is filled in with alarms. Of course, the particular order in which the scheduled or calendared

events is displayed or is filled in on display 50, can vary and the order described above is simply one illustrative order.

In any case, by displaying the calendared or scheduled events in a time wise fashion according to a predetermined order, the user viewing the display is provided with an indication as to whether the display is complete. This is done without providing the user with a traditional type of user interface, such as a status bar, for indicating the status of the display. Rather, the data being displayed, itself, acts to provide the user with an indication as to whether the display is completely rendered.

Other variations can also be implemented. For example, each type of data can be displayed in a different color. Thus, as the user views the display, as the display is being generated, recurring appointments would first be filled in using a first color, non-recurring appointments and meetings would then be filled in using a second color, and alarms would be filled in using a third color. Further, while the displayed is being filled in, each of the events could be displayed in a different form, such as in a crosshatched or lightly shaded form. Then, when the display is complete, the events would be displayed in a solid color. This would give the user a further indication that rendering of the display was complete.

In addition, the present invention can also implement a pause between displaying different types of information. For example, the recurring appointments information could first be filled in on the display. Then, after a short pause, the non-recurring appointments are filled in, etc. Of course,

the present invention can also be implemented by simply displaying the different types of information, in order, as fast as they can be displayed.

In addition, some PIMs allow different types of events to be scheduled according to different criteria. For example, one may be able to schedule an event "tentatively", indicate that an individual is "out of the office", "busy", "free", etc . . . . The present invention can be utilized to indicate these types of events using different types of shading on the clock face representations, color variances, or other suitable visual indicia. Also, as described above, such items can be displayed according to a predetermined order.

It should be noted that in one embodiment of the present invention, the indicia (such as the shaded wedges) which indicate the time and duration of scheduled events are expanded to the nearest hour which encompasses the actual time of the event. In other words, if a user schedules an event to begin at 10:10 AM and continue to 11:20 AM, the indicia will appear as if the user had scheduled the meeting to begin at 10:00 AM and continue to 12:00 Noon. However, the indicia can be rounded to any other desired increment, such as every half hour, every fifteen minutes, or any other suitable increment, based on the preference of the user or the developer, and based on the size and resolution of the particular display screen 34 being used.

It should also be noted that the present invention can be utilized on devices, other than the mobile devices discussed herein. For example, the present invention can be utilized on displays for

desktop computers, computers used in automobiles or telephones or other devices as well. The present invention is simply well suited to mobile devices or other devices where the size of the display screens or the portions of the display screens allocated to displaying events are relatively small, and the resolution of the display screens or portions thereof are relatively low.

Further, while the present invention has been described illustrating shaded areas on the clock face representations, other visual indicia can be provided as well. For example, in order to indicate an alarm or timer event, a single line on the clock face, at the appropriate time, could be used. Also, rather than simply shading clock segments in gray, multi-color contrast, or other visually contrasting techniques or other suitable visual indicia can be used as well.

Thus, it can be seen that the analog clock face representations discussed herein provide a highly efficient mechanism for communicating scheduled event information to a user. Clock face representations can be displayed on small screens, with low resolution, and still communicate very effectively with the user.

Although the present invention has been described with reference to preferred embodiments, workers skilled in the art will recognize that changes may be made in form and detail without departing from the spirit and scope of the invention.

WHAT IS CLAIMED IS:

1. A method of displaying indicia representative of a schedule of events on a display screen in a computing device, the method comprising:
  - obtaining event information indicative of a starting time of an event and a duration of the event;
  - providing a calendar display comprising:
    - a month view representative of a calendar month with a plurality of days, each day including a corresponding clock face representation of a desired time period, the clock face representation including a user observable portion indicative of the starting time and the duration of the event.
2. The method of claim 1 wherein providing a calendar display comprises:
  - providing the clock face representation wherein the user observable indicia includes a visually contrasting portion, on the clock face representation, which indicates the starting time and duration.
3. The method of claim 2 wherein providing the calendar display comprises:
  - providing the visually contrasting portion as a clock segment located on the clock face representation to indicate the starting time and duration.



-23-

4. The method of claim 2 wherein providing the calendar display comprises:

providing the clock face representation as a plurality of clock face representations, each of the plurality of clock face representations corresponding to a different time period of the day to which the clock face representations correspond.

5. The method of claim 4 wherein providing the calendar display comprises:

providing the plurality of clock face representations with a visual indication of the time period to which each of the plurality of clock face representations corresponds.

6. The method of claim 5 wherein providing the calendar display comprises:

providing a first of the plurality of clock face representations corresponding to an am time period and a second of the plurality of clock face representations corresponding to a pm time period.

7. The method of claim 6 wherein providing the calendar display comprises:

providing the first of the plurality of clock face representations with a textual am indicator indicating that the first clock face representation corresponds to an am

-24-

time period; and  
providing the second of the plurality of clock  
face representations with a textual pm  
indicator indicating that the second  
clock face representation corresponds to  
a pm time period.

8. The method of claim 7 wherein providing the  
calendar display comprises:

providing the first and second clock face  
representations as separate visual  
representations.

9. The method of claim 7 wherein providing the  
calendar display comprises:

providing one of the first and second clock  
face representations superimposed over  
another of the first and second clock  
face representations.

10. The method of claim 3 wherein providing the  
calendar display comprises:

providing the clock face representation as a  
single clock face representative of a  
twenty four hour time period.

11. The method of claim 3 wherein providing the  
calendar display comprises:

providing the month view with a plurality of  
days, each day including a numerical  
indicator indicative of a day of a month  
being viewed.

-25-

12. The method of claim 11 wherein providing the calendar display comprises:

providing the month view with a plurality of days, each day including a user selectable indicator indicative of an event not reflected on the clock face representation.

13. The method of claim 1 wherein providing the calendar display comprises:

providing the user observable portion to indicate a start time and duration only in a desired time increment.

14. A method of displaying indicia representative of a schedule of events on a display screen of a computing device, the method comprising:

obtaining event information indicative of a starting time of an event and a duration of the event;

providing a calendar display based on the event information, the calendar display comprising:

a view representative of a plurality of days, each day including a corresponding clock face representation of a desired time period, the clock face representation including a visually contrasting portion indicative of the starting time and the duration of the event.

-26-

15. The method of claim 14 wherein providing the calendar display comprises:

providing the visually contrasting portion as a clock segment located on the clock face representation to indicate the starting time and duration.

16. The method of claim 15 wherein providing the calendar display comprises:

providing the clock segment in a desired minimum time segment.

17. The method of claim 15 wherein providing the calendar display comprises:

providing the clock face representation as a plurality of clock face representations, each of the plurality of clock face representations corresponding to a different time period of the day to which the clock face representations correspond.

18. The method of claim 17 wherein providing the calendar display comprises:

providing the plurality of clock face representations with a visual indication of the time period to which each of the plurality of clock face representations corresponds.

19. The method of claim 18 wherein providing the calendar display comprises:

providing a first of the plurality of clock

-27-

face representations corresponding to an am time period and a second of the plurality of clock face representations corresponding to a pm time period.

20. The method of claim 19 wherein providing the calendar display comprises:

providing the first of the plurality of clock face representations with a textual am indicator indicating that the first clock face representation corresponds to an am time period; and

providing the second of the plurality of clock face representations with a textual pm indicator indicating that the second clock face representation corresponds to a pm time period.

21. The method of claim 20 wherein providing the calendar display comprises:

providing the first and second clock face representations as separate visual representations.

22. The method of claim 20 wherein providing the calendar display comprises:

providing one of the first and second clock face representations superimposed over another of the first and second clock face representations.

23. The method of claim 15 wherein providing the calendar display comprises:

-28-

providing the clock face representation as a single clock face representative of a twenty four hour time period.

24. The method of claim 15 wherein providing the calendar display comprises:

providing a month view with a plurality of days indicative of the days in an entire month being viewed.

25. The method of claim 12 wherein providing the calendar display comprises:

providing the month view with a plurality of days, each day including a user selectable indicator indicative of an event not reflected on the clock face representation.

26. A computer readable medium having computer readable instructions stored thereon for causing a computing device to display indicia of events on a display screen of the computing device, the computer readable instructions causing the computing device to perform the steps of:

providing an event display including a visual indication of a day on which an event occurs and an analog clock face representation having user observable indicia thereon indicative of a time at which the event occurs.

27. The computer readable medium of claim 26 wherein the computer readable instructions further

-29-

cause the computing device to perform the steps of:  
receiving event input information indicative  
of a starting time of the event and a  
duration of the event; and  
storing the event input information.

28. The computer readable medium of claim 26 wherein the computer readable medium is configured for use with a mobile device.

29. The computer readable medium of claim 28 wherein providing an event display comprises:  
providing the user observable indicia as a  
visually contrasting clock segment  
located on the clock face representation  
to indicate the time at which the event  
occurs and a duration of the event.

30. The computer readable medium of claim 29 wherein providing the event display comprises:  
providing the clock face representation as a  
plurality of clock face representations,  
each of the plurality of clock face  
representations corresponding to a  
different time period of the day to which  
the clock face representations  
correspond.

31. The computer readable medium of claim 30 wherein providing the event display comprises:  
providing the plurality of clock face  
representations with a visual indication  
of the time period to which each of the

-30-

plurality of clock face representations corresponds.

32. The computer readable medium of claim 31 wherein providing the event display comprises:

providing one of the first and second clock face representations superimposed over another of the first and second clock face representations.

33. The computer readable medium of claim 29 wherein providing the event display comprises:

providing the clock face representation as a single clock face representative of a twenty four hour time period.

34. The computer readable medium of claim 14 wherein providing the event display comprises:

providing a month view with a plurality of days indicative of the days in an entire month being viewed, each day including an analog clock face representation having user observable indicia thereon indicative of a time at which an event occurs on that day and a duration of the event.

35. A method of displaying indicia representative of a schedule of events on a display screen in a computing device, the method comprising:

obtaining event information indicative of a plurality of different types of events and indicative of a starting time of each



-31-

event and a duration of each event;  
providing a calendar display comprising:  
a month view representative of a calendar month with a plurality of days, each day including a corresponding clock face representation of a desired time period, the clock face representation including a user observable portion indicative of the starting time and the duration of each event the user observable portion being filled in to indicate each of the different types of events in a predetermined order.

36. The method of claim 35 wherein providing a calendar display comprises:

providing the clock face representation wherein the user observable indicia includes a visually contrasting portion, on the clock face representation, which indicates the starting time and duration of each event.

37. The method of claim 36 wherein providing the calendar display comprises:

providing the visually contrasting portion as a clock segment located on the clock face representation to indicate the starting time and duration.

38. The method of claim 36 wherein providing the calendar display comprises:

-32-

providing the clock face representation as a plurality of clock face representations, each of the plurality of clock face representations corresponding to a different time period of the day to which the clock face representations correspond.

39. The method of claim 38 wherein providing the calendar display comprises:

providing the plurality of clock face representations with a visual indication of the time period to which each of the plurality of clock face representations corresponds.

40. The method of claim 39 wherein providing the calendar display comprises:

providing a first of the plurality of clock face representations corresponding to an AM time period and a second of the plurality of clock face representations corresponding to a PM time period.

41. The method of claim 40 wherein providing the calendar display comprises:

providing the first and second clock face representations as separate visual representations.

42. The method of claim 40 wherein providing the calendar display comprises:

providing one of the first and second clock

-33-

face representations superimposed over another of the first and second clock face representations.

43. The method of claim 40 wherein providing the calendar display comprises:

providing the clock face representation as a single clock face representative of a twenty four hour time period.

44. A method of displaying data indicative of scheduled events on a display screen of a computing device, the scheduled events being one of a plurality of different event types, the method comprising:

obtaining event information indicative of the scheduled events;

providing a display indicative of a plurality of days; and

filling in the display by displaying visual indicia indicative of each of the scheduled events in a predetermined order based on the event types.

45. The method of claim 44 wherein the event types include recurring appointments and non-recurring appointments and wherein filling in the display comprises:

filling in the display first with visual indicia indicative of a first of the event types and next with visual indicia indicative of a second of the event types.

-34-

46. The method of claim 45 wherein filling in the display comprises:

providing a clock representation  
corresponding to each of the plurality  
of days and filling in portions of the  
clock face representation based on a  
starting time of the scheduled events.

47. The method of claim 44 wherein the event types include alarms.

48. The method of claim 45 wherein filling in the display comprises:

filling in the display with a first type of  
visual indicia until all scheduled  
events are displayed; and  
changing the first type of visual indicia  
after all of the scheduled events are  
displayed.

49. The method of claim 45 wherein filling in the display with a first type of visual indicia comprises:

filling in the display with one of a shaded  
and cross-hatched indicia and wherein  
changing the first type of visual  
indicia comprises changing the first  
type of visual indicia to a solid  
indicia.

50. The method of claim 38 wherein filling in the display comprises:

filling in the display with visual indicia

SUBSTITUTE SHEET (RULE 26)

-35-

of a first color indicative of  
scheduled events of a first event type;  
and  
filling in the display with visual indicia  
of a second color, different from the  
first color, indicative of events of a  
second event type.

51. The method of claim 38 wherein filling in  
the display comprises:  
filling in the display with first visual  
indicia indicative of events of a first  
event type;  
waiting a predetermined time period; and  
then filling in the display with second  
visual indicia indicative of events of  
a second event type.

52. The method of claim 51 and further  
comprising:  
after filling in the display with second  
visual indicia, waiting a second  
predetermined time period; and  
then filling in the display with third  
visual indicia indicative of events of  
a third event type.

53. A method of displaying a calendar of events  
on a display screen of a computing device, comprising:  
displaying a calendar representation of a  
plurality of days; and  
filling in the calendar representation with  
event indicia indicative of the events

SUBSTITUTE SHEET (RULE 26)

-36-

scheduled on the plurality of days such that the event indicia also provide an indication as to whether the step of filling in the calendar representation is complete.

54. The method of claim 53 wherein the events correspond to one of a plurality of event types, and wherein filling in the calendar representation comprises:

first filling in the calendar representation with event indicia indicative of events of a first event type; and  
then filling in the calendar representation with event indicia indicative of events of a second event type.

55. The method of claim 43 wherein displaying a calendar representation comprises displaying at least one clock face representation and wherein filling in the calendar representation comprises:

filling in clock segments on the clock face representation.

1/10




FIG. 1

2/10




FIG. 2



3/10




FIG. 3

4/10




FIG. 4.

SUBSTITUTE SHEET (RULE 26)

5/10




FIG. 5

SUBSTITUTE SHEET (RULE 26)

6/10




FIG. 6

7/10




FIG. 7

8/10




FIG. 8

9/10




FIG. 9

10/10




FIG. 10




FIG. 11A

FIG. 11B



# INTERNATIONAL SEARCH REPORT

International Application No.  
PCT/US 99/00280

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 645 238 A (VINCENT JAMES P ET AL) 24 February 1987	44
A	see column 2, line 38 - line 62; figure 1 see column 3, line 34 - line 50 ---	1, 11, 14, 16, 24, 35, 51
A	ANONYMOUS: "Graphical Indicator for Calendar Days that have Out of Sync Data." IBM TECHNICAL DISCLOSURE BULLETIN, vol. 35, no. 6, November 1992, pages 375-377, XP000314189 New York, US see page 376, paragraph 3; figure 1 --- -/--	1, 14, 26, 35, 44, 51

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

3 June 1999

Date of mailing of the international search report

09/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

van der Weiden, A

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00280

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 740 255 A (SHARP KK) 30 October 1996 see abstract; figures 1,11 ---	12,25, 28-33
A	US 5 500 938 A (CAHILL LESLIE M ET AL) 19 March 1996 see abstract; figures 5-8 see column 1, line 50 - line 67 -----	26,27

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 99/00280

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4645238 A	24-02-1987	DE 3472845 A	25-08-1988
		EP 0123084 A	31-10-1984
		JP 2024615 C	26-02-1996
		JP 7036194 B	19-04-1995
		JP 60018391 A	30-01-1985
EP 0740255 A	30-10-1996	JP 8297640 A	12-11-1996
		CN 1146579 A	02-04-1997
		US 5689687 A	18-11-1997
US 5500938 A	19-03-1996	NONE	

**THIS PAGE BLANK (USPTO)**

CORRECTED VERSION

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
15 July 1999 (15.07.1999)

PCT

(10) International Publication Number  
WO 99/35601 A1

(51) International Patent Classification<sup>6</sup>: G06F 17/60

(21) International Application Number: PCT/US99/00280

(22) International Filing Date: 7 January 1999 (07.01.1999)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/004,045 7 January 1998 (07.01.1998) US  
60/088,360 7 January 1998 (07.01.1998) US  
09/053,335 1 April 1998 (01.04.1998) US

(71) Applicant: MICROSOFT CORPORATION [US/US];  
One Microsoft Way, Redmond, WA 98052-6399 (US).

(72) Inventors: PARKER, Kathryn, L.: 35539 S.E. 41st Street, Fall City, WA 98024 (US). McDEVITT, Michael: 500 S.E. 6th Street, North Bend, WA 98045-8264 (US). KEYSER, Greg, A.: 13015 N.E. 108th Street, Kirkland, WA 98033 (US). SKORUPA, Scott, A.: 14329 S.E. 84th Court, Newcastle, WA 98059 (US).


(74) Agents: KELLY, Joseph, R. et al.: Westman, Champlin & Kelly, P.A., International Centre, Suite 1600, 900 Second Avenue South, Minneapolis, MN 55402-3319 (US).

(81) Designated States (*national*): CA, JP.

(84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

[Continued on next page]

(54) Title: SYSTEM AND METHOD OF DISPLAYING TIMES CORRESPONDING TO EVENTS ON A CALENDAR



(57) Abstract: A system and method provide an event display (50). The event display (50) includes a visual indication (68) of a day on which the event occurs. The event display (50) also includes an analog clock face representation (70, 72) having a contrasting portion indicating a time of the event.

WO 99/35601 A1



**Published:**

— *With international search report.*

**(15) Information about Correction:**

see PCT Gazette No. 18/2001 of 3 May 2001, Section II

**(48) Date of publication of this corrected version:**

3 May 2001

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**